

How to decode interleaved 2 of 5 in C# and ByteScout BarCode Reader SDK

How to code in C# to decode interleaved 2 of 5 with this step-by-step tutorial

On this page you will learn from code samples for programming in C#. Writing of the code to decode interleaved 2 of 5 in C# can be done by developers of any level using ByteScout BarCode Reader SDK. Want to decode interleaved 2 of 5 in your C# app? ByteScout BarCode Reader SDK is designed for it. ByteScout BarCode Reader SDK is the SDK for reading of barcodes from PDF, images and live camera or video. Almost every common type like Code 39, Code 128, GS1, UPC, QR Code, Datamatrix, PDF417 and many others are supported. Supports noisy and defective images and docs. Includes optional documents splitter and merger for pdf and tiff based on found barcodes. Batch mode is supported for superior performance using multiple threads. Decoded values are easily exported to JSON, CSV, XML and to custom format.

Fast application programming interfaces of ByteScout BarCode Reader SDK for C# plus the instruction and the code below will help you quickly learn how to decode interleaved 2 of 5. Just copy and paste the code into your C# application's code and follow the instruction. You can use these C# sample examples in one or many applications.

Free trial version of ByteScout BarCode Reader SDK is available for download from our website. Get it to try other source code samples for C#.

FOR MORE INFORMATION AND FREE TRIAL:

[Download Free Trial SDK \(on-premise version\)](#)

[Read more about ByteScout BarCode Reader SDK](#)

[Explore API Documentation](#)

[Get Free Training for ByteScout BarCode Reader SDK](#)

[Get Free API key for Web API](#)

[visit www.Bytescout.com](http://www.Bytescout.com)

Source Code Files:

Program.cs

```
using System;
using System.IO;
using Bytescout.BarCodeReader;

namespace ReadInterleaved2of5
{
    class Program
    {
        const string ImageFile = "Interleaved2of5.png";

        static void Main()
        {
            Console.WriteLine("Reading barcode(s) from image {0}", Path.GetFullPath(ImageFile));

            Reader reader = new Reader();
            reader.RegistrationName = "demo";
            reader.RegistrationKey = "demo";

            // Set barcode type to find
            reader.BarcodeTypesToFind.Interleaved2of5 = true;

            /* -----
            NOTE: We can read barcodes from specific page to increase performance.
            For sample please refer to "Decoding barcodes from PDF by pages" program.
            ----- */

            // Read barcodes
            FoundBarcode[] barcodes = reader.ReadFrom(ImageFile);

            foreach (FoundBarcode barcode in barcodes)
            {
                Console.WriteLine("Found barcode with type '{0}' and value '{1}'", barcode.Type, barcode.Value);
            }

            // Cleanup
            reader.Dispose();

            Console.WriteLine("Press any key to exit..");
            Console.ReadKey();
        }
    }
}
```

VIDEO

<https://www.youtube.com/watch?v=EARSPJFIJMU>

ON-PREMISE OFFLINE SDK

[60 Day Free Trial](#) or [Visit ByteScout BarCode Reader SDK Home Page](#)
[Explore ByteScout BarCode Reader SDK Documentation](#)
[Explore Samples](#)
[Sign Up for ByteScout BarCode Reader SDK Online Training](#)

ON-DEMAND REST WEB API

[Get Your API Key](#)
[Explore Web API Docs](#)
[Explore Web API Samples](#)

[visit www.ByteScout.com](http://www.ByteScout.com)

[visit www.PDF.co](http://www.PDF.co)

www.bytescout.com