

www.bytescout.com

How to generate SSRS reports VS 2008 in ASP.NET with ByteScout Barcode SDK

Write code in ASP.NET to generate SSRS reports VS 2008 with this step-by-step tutorial

Generate SSRS reports VS 2008 is easy to implement in ASP.NET if you use these source codes below. Want to generate SSRS reports VS 2008 in your ASP.NET app? ByteScout Barcode SDK is designed for it. ByteScout Barcode SDK is the robust SDK that generates high quality barcode images and pdf. Can generate all popular types of barcodes from QR Code, Code 39, Code 128, UPC, GS1, GS-128, PDF417, Datamatrix to more exotic barcode types. Fully customizable fonts, colors, print sizes. Includes special functions to ensure output quality, and tools for adding barcodes to new or existing pdf files and images.

Fast application programming interfaces of ByteScout Barcode SDK for ASP.NET plus the instruction and the code below will help you quickly learn how to generate SSRS reports VS 2008. Just copy and paste the code into your ASP.NET application's code and follow the instruction. Enjoy writing a code with ready-to-use sample codes in ASP.NET.

Free trial version of ByteScout Barcode SDK is available on our website. Documentation and source code samples are included.

FOR MORE INFORMATION AND FREE TRIAL:

[Download Free Trial SDK \(on-premise version\)](#)

[Read more about ByteScout Barcode SDK](#)

[Explore API Documentation](#)

[Get Free Training for ByteScout Barcode SDK](#)

[Get Free API key for Web API](#)

[visit www.ByteScout.com](#)

Source Code Files:

Report Project1.rptproj

```
<?xml version="1.0" encoding="utf-8"?>
<Project xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema">
  <State>$base64$PFNvdXJjZUNvbNRYb2xJbmZvIHhtbG5z0nhzZD0iaHR0cDovL3d3dy53My5vcmcvMjAwMS
  <DataSources>
    <ProjectItem>
      <Name>DataSource1.rds</Name>
      <FullPath>DataSource1.rds</FullPath>
    </ProjectItem>
  </DataSources>
  <Reports>
    <ProjectItem>
      <Name>Report1.rdl</Name>
      <FullPath>Report1.rdl</FullPath>
    </ProjectItem>
  </Reports>
  <Configurations>
    <Configuration>
      <Name>Debug</Name>
      <Platform>Win32</Platform>
      <Options>
        <TargetFolder>Report Project1</TargetFolder>
        <TargetDataSourceFolder>Data Sources</TargetDataSourceFolder>
      </Options>
    </Configuration>
    <Configuration>
      <Name>DebugLocal</Name>
      <Platform>Win32</Platform>
      <Options>
        <TargetFolder>Report Project1</TargetFolder>
        <TargetDataSourceFolder>Data Sources</TargetDataSourceFolder>
      </Options>
    </Configuration>
    <Configuration>
      <Name>Release</Name>
      <Platform>Win32</Platform>
      <Options>
        <TargetFolder>Report Project1</TargetFolder>
        <TargetDataSourceFolder>Data Sources</TargetDataSourceFolder>
      </Options>
    </Configuration>
  </Configurations>
</Project>
```

Report1.rdl

```
<?xml version="1.0" encoding="utf-8"?>
<Report xmlns:rd="http://schemas.microsoft.com/SQLServer/reporting/reportdesigner" xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
```

```

<DataSources>
  <DataSource Name="DataSource1">
    <DataSourceReference>DataSource1</DataSourceReference>
    <rd:DataSourceID>30114abd-62e0-4f8e-94f2-939fadd3ccb5</rd:DataSourceID>
    <rd:SecurityType>None</rd:SecurityType>
  </DataSource>
</DataSources>
<DataSets>
  <DataSet Name="DataSet1">
    <Fields>
      <Field Name="ProductID">
        <DataField>ProductID</DataField>
        <rd:TypeName>System.Int32</rd:TypeName>
      </Field>
      <Field Name="Name">
        <DataField>Name</DataField>
        <rd:TypeName>System.String</rd:TypeName>
      </Field>
      <Field Name="ProductNumber">
        <DataField>ProductNumber</DataField>
        <rd:TypeName>System.String</rd:TypeName>
      </Field>
    </Fields>
    <Query>
      <DataSourceName>DataSource1</DataSourceName>
      <CommandText>SELECT ProductID, Name, ProductNumber
FROM Production.Product</CommandText>
    </Query>
  </DataSet>
</DataSets>
<Body>
  <ReportItems>
    <Tablix Name="table1">
      <TablixBody>
        <TablixColumns>
          <TablixColumn>
            <Width>2.38194in</Width>
          </TablixColumn>
          <TablixColumn>
            <Width>1.38195in</Width>
          </TablixColumn>
          <TablixColumn>
            <Width>4.10069in</Width>
          </TablixColumn>
        </TablixColumns>
        <TablixRows>
          <TablixRow>
            <Height>0.25646in</Height>
            <TablixCells>
              <TablixCell>
                <CellContents>
                  <Textbox Name="textbox2">
                    <CanGrow>true</CanGrow>
                    <KeepTogether>true</KeepTogether>
                    <Paragraphs>
                      <Paragraph>
                        <TextRuns>
                          <TextRun>
                            <Value>Product ID</Value>
                            <Style>

```

```
<FontFamily>Tahoma</FontFamily>
<FontSize>11pt</FontSize>
<FontWeight>Bold</FontWeight>
<Color>White</Color>
</Style>
</TextRun>
</TextRuns>
<Style>
    <TextAlign>Right</TextAlign>
</Style>
</Paragraph>
</Paragraphs>
<rd:DefaultName>textbox2</rd:DefaultName>
<Style>
    <Border>
        <Color>LightGrey</Color>
        <Style>Solid</Style>
    </Border>
    <BackgroundColor>SteelBlue</BackgroundColor>
    <PaddingLeft>2pt</PaddingLeft>
    <PaddingRight>2pt</PaddingRight>
    <PaddingTop>2pt</PaddingTop>
    <PaddingBottom>2pt</PaddingBottom>
</Style>
</Textbox>
</CellContents>
</TablixCell>
<TablixCell>
    <CellContents>
        <Textbox Name="textbox3">
            <CanGrow>true</CanGrow>
            <KeepTogether>true</KeepTogether>
            <Paragraphs>
                <Paragraph>
                    <TextRuns>
                        <TextRun>
                            <Value>Name</Value>
                            <Style>
                                <FontFamily>Tahoma</FontFamily>
                                <FontSize>11pt</FontSize>
                                <FontWeight>Bold</FontWeight>
                                <Color>White</Color>
                            </Style>
                        </TextRun>
                    </TextRuns>
                    <Style />
                </Paragraph>
            </Paragraphs>
            <rd:DefaultName>textbox3</rd:DefaultName>
            <Style>
                <Border>
                    <Color>LightGrey</Color>
                    <Style>Solid</Style>
                </Border>
                <BackgroundColor>SteelBlue</BackgroundColor>
                <PaddingLeft>2pt</PaddingLeft>
                <PaddingRight>2pt</PaddingRight>
                <PaddingTop>2pt</PaddingTop>
                <PaddingBottom>2pt</PaddingBottom>
            </Style>
        </Textbox>
    </CellContents>
</TablixCell>
```

```
</Textbox>
</CellContents>
</TablixCell>
<TablixCell>
<CellContents>
<Textbox Name="textbox4">
<CanGrow>true</CanGrow>
<KeepTogether>true</KeepTogether>
<Paragraphs>
<Paragraph>
<TextRuns>
<TextRun>
<Value>Product Number</Value>
<Style>
<FontFamily>Tahoma</FontFamily>
<FontSize>11pt</FontSize>
<FontWeight>Bold</FontWeight>
<Color>White</Color>
</Style>
</TextRun>
</TextRuns>
<Style />
</Paragraph>
</Paragraphs>
<rd:DefaultName>textbox4</rd:DefaultName>
<Style>
<Border>
<Color>LightGrey</Color>
<Style>Solid</Style>
</Border>
<BackgroundColor>SteelBlue</BackgroundColor>
<PaddingLeft>2pt</PaddingLeft>
<PaddingRight>2pt</PaddingRight>
<PaddingTop>2pt</PaddingTop>
<PaddingBottom>2pt</PaddingBottom>
</Style>
</Textbox>
</CellContents>
</TablixCell>
</TablixCells>
</TablixRow>
<TablixRow>
<Height>1.1423in</Height>
<TablixCells>
<TablixCell>
<CellContents>
<Textbox Name="ProductID">
<CanGrow>true</CanGrow>
<KeepTogether>true</KeepTogether>
<Paragraphs>
<Paragraph>
<TextRuns>
<TextRun>
<Value>=Fields!ProductID.Value</Value>
<Style>
<FontFamily>Tahoma</FontFamily>
</Style>
</TextRun>
</TextRuns>
<Style />
```

```
</Paragraph>
</Paragraphs>
<rd:DefaultName>ProductID</rd:DefaultName>
<Style>
    <Border>
        <Color>LightGrey</Color>
        <Style>Solid</Style>
    </Border>
    <PaddingLeft>2pt</PaddingLeft>
    <PaddingRight>2pt</PaddingRight>
    <PaddingTop>2pt</PaddingTop>
    <PaddingBottom>2pt</PaddingBottom>
</Style>
</Textbox>
</CellContents>
</TablixCell>
<TablixCell>
    <CellContents>
        <Textbox Name="Name">
            <CanGrow>true</CanGrow>
            <KeepTogether>true</KeepTogether>
            <Paragraphs>
                <Paragraph>
                    <TextRuns>
                        <TextRun>
                            <Value>=Fields!Name.Value</Value>
                            <Style>
                                <FontFamily>Tahoma</FontFamily>
                            </Style>
                        </TextRun>
                    </TextRuns>
                    <Style />
                </Paragraph>
            </Paragraphs>
            <rd:DefaultName>Name</rd:DefaultName>
            <Style>
                <Border>
                    <Color>LightGrey</Color>
                    <Style>Solid</Style>
                </Border>
                <PaddingLeft>2pt</PaddingLeft>
                <PaddingRight>2pt</PaddingRight>
                <PaddingTop>2pt</PaddingTop>
                <PaddingBottom>2pt</PaddingBottom>
            </Style>
        </Textbox>
    </CellContents>
</TablixCell>
<TablixCell>
    <CellContents>
        <CustomReportItem Name="Barcode1">
            <Type>BarCode</Type>
            <CustomProperties>
                <CustomProperty>
                    <Name>barcode:smoothing_mode</Name>
                    <Value>None</Value>
                </CustomProperty>
                <CustomProperty>
                    <Name>barcode:text_rendering_hint</Name>
                    <Value>SystemDefault</Value>
                </CustomProperty>
            </CustomProperties>
        </CustomReportItem>
    </CellContents>
</TablixCell>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:regname</Name>
    <Value>demo</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:regkey</Name>
    <Value>demo</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:resolution_x</Name>
    <Value>96</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:resolution_y</Name>
    <Value>96</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:symbology</Name>
    <Value>PDF417</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:checksum</Name>
    <Value>false</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:additional_caption</Name>
    <Value>QWerty</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:caption_for_2d_barcodes</Name>
    <Value>true</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:caption_position</Name>
    <Value>Above</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:value</Name>
    <Value>=Fields!ProductNumber.Value</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:additional_caption_position</Name>
    <Value>Above</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:custom_caption</Name>
    <Value />
</CustomProperty>
<CustomProperty>
    <Name>barcode:showCaption</Name>
    <Value>true</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:caption_font</Name>
    <Value>Arial|14.25|Regular</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:additional_caption_font</Name>
    <Value>Arial|11.25|Regular</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:supplement_value</Name>
    <Value />
</CustomProperty>
<CustomProperty>
    <Name>barcode:draw_quiet_zones</Name>
    <Value>true</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:checksum_in_caption</Name>
    <Value>false</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:angle</Name>
    <Value>Degrees0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code128:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code128:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code128:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code128:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code128:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code128:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code128:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code128:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code128:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code128:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code128:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code128:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code128:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code128:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code128:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code128:QREncodeHint</Name>
    <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code128:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code128:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code128:ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code128:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code39:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code39:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code39:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code39:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code39:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code39:Code128Alphabet</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code39:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code39:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code39:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code39:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code39:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code39:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code39:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code39:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code39:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code39:QREncodeHint</Name>
    <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code39:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code39:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code39>ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code39:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Postnet:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:Postnet:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Postnet:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Postnet:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Postnet:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Postnet:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Postnet:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Postnet:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Postnet:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Postnet:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Postnet:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Postnet:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Postnet:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Postnet:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Postnet:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Postnet:QREncodeHint</Name>
    <Value>Mode8</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:Postnet:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Postnet:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Postnet:ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Postnet:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCA:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCA:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCA:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCA:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCA:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCA:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCA:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCA:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCA:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCA:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCA:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCA:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCA:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCA:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCA:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCA:QREncodeHint</Name>
    <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCA:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCA:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCA>ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCA:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN8:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN8:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN8:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN8:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN8:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN8:Code128Alphabet</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN8:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN8:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN8:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN8:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN8:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN8:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN8:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN8:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN8:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN8:QREncodeHint</Name>
    <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN8:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN8:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN8>ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN8:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:ISBN:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:ISBN:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:ISBN:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:ISBN:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:ISBN:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:ISBN:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:ISBN:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:ISBN:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:ISBN:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:ISBN:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:ISBN:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:ISBN:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:ISBN:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:ISBN:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:ISBN:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:ISBN:QREncodeHint</Name>
    <Value>Mode8</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:ISBN:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:ISBN:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:ISBN:ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:ISBN:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Codabar:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Codabar:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Codabar:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Codabar:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Codabar:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Codabar:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Codabar:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Codabar:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Codabar:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Codabar:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Codabar:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:Codabar:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Codabar:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Codabar:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Codabar:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Codabar:QREncodeHint</Name>
    <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Codabar:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Codabar:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Codabar:ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Codabar:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:I2of5:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:I2of5:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:I2of5:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:I2of5:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:I2of5:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:I2of5:Code128Alphabet</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:I2of5:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:I2of5:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:I2of5:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:I2of5:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:I2of5:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:I2of5:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:I2of5:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:I2of5:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:I2of5:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:I2of5:QREncodeHint</Name>
    <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:I2of5:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:I2of5:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:I2of5>ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:I2of5:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code93:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code93:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code93:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code93:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code93:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code93:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code93:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code93:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code93:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code93:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code93:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code93:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code93:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code93:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code93:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code93:QREncodeHint</Name>
    <Value>Mode8</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code93:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code93:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code93:ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Code93:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN13:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN13:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN13:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN13:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN13:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN13:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN13:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN13:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN13:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN13:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN13:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN13:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN13:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN13:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN13:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN13:QREncodeHint</Name>
    <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN13:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN13:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN13:ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN13:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:JAN13:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:JAN13:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:JAN13:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:JAN13:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:JAN13:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:JAN13:Code128Alphabet</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:JAN13:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:JAN13:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:JAN13:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:JAN13:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:JAN13:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:JAN13:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:JAN13:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:JAN13:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:JAN13:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:JAN13:QREncodeHint</Name>
    <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:JAN13:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:JAN13:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:JAN13>ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:JAN13:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Bookland:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:Bookland:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Bookland:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Bookland:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Bookland:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Bookland:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Bookland:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Bookland:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Bookland:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Bookland:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Bookland:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Bookland:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Bookland:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Bookland:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Bookland:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Bookland:QREncodeHint</Name>
    <Value>Mode8</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:Bookland:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Bookland:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Bookland:ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Bookland:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCE:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCE:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCE:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCE:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCE:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCE:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCE:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCE:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCE:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCE:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCE:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCE:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCE:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCE:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCE:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCE:QREncodeHint</Name>
    <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCE:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCE:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCE>ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:UPCE:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417:Code128Alphabet</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417:QREncodeHint</Name>
    <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417>ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417Truncated:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417Truncated:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417Truncated:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417Truncated:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417Truncated:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417Truncated:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417Truncated:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417Truncated:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417Truncated:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417Truncated:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417Truncated:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417Truncated:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417Truncated:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417Truncated:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417Truncated:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417Truncated:QREncodeHint</Name>
    <Value>Mode8</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417Truncated:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417Truncated:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417Truncated>ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PDF417Truncated:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DataMatrix:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DataMatrix:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DataMatrix:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DataMatrix:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DataMatrix:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DataMatrix:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DataMatrix:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DataMatrix:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DataMatrix:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DataMatrix:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DataMatrix:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:DataMatrix:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DataMatrix:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DataMatrix:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DataMatrix:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DataMatrix:QREncodeHint</Name>
    <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DataMatrix:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DataMatrix:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DataMatrix>ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DataMatrix:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:QRCode:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:QRCode:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:QRCode:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:QRCode:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:QRCode:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:QRCode:Code128Alphabet</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:QRCode:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:QRCode:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:QRCode:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:QRCode:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:QRCode:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:QRCode:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:QRCode:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:QRCode:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:QRCode:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:QRCode:QREncodeHint</Name>
    <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:QRCode:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:QRCode:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:QRCode>ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:QRCode:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Aztec:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:Aztec:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Aztec:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Aztec:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Aztec:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Aztec:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Aztec:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Aztec:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Aztec:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Aztec:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Aztec:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Aztec:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Aztec:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Aztec:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Aztec:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Aztec:QREncodeHint</Name>
    <Value>Mode8</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:Aztec:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Aztec:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Aztec:ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Aztec:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Planet:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Planet:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Planet:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Planet:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Planet:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Planet:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Planet:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Planet:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Planet:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Planet:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Planet:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:Planet:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Planet:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Planet:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Planet:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Planet:QREncodeHint</Name>
    <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Planet:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Planet:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Planet:ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Planet:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN128:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN128:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN128:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN128:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN128:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN128:Code128Alphabet</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN128:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN128:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN128:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN128:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN128:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN128:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN128:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN128:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN128:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN128:QREncodeHint</Name>
    <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN128:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN128:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN128>ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN128:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_128:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_128:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_128:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_128:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_128:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_128:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_128:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_128:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_128:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_128:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_128:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_128:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_128:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_128:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_128:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_128:QREncodeHint</Name>
    <Value>Mode8</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_128:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_128:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_128:ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_128:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSSackLabel:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSSackLabel:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSSackLabel:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSSackLabel:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSSackLabel:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSSackLabel:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSSackLabel:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSSackLabel:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSSackLabel:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSSackLabel:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSSackLabel:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSSackLabel:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSSackLabel:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSSackLabel:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSSackLabel:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSSackLabel:QREncodeHint</Name>
    <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSSackLabel:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSSackLabel:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSSackLabel>ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSSackLabel:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSTrayLabel:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSTrayLabel:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSTrayLabel:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSTrayLabel:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSTrayLabel:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSTrayLabel:Code128Alphabet</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSTrayLabel:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSTrayLabel:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSTrayLabel:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSTrayLabel:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSTrayLabel:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSTrayLabel:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSTrayLabel:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSTrayLabel:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSTrayLabel:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSTrayLabel:QREncodeHint</Name>
    <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSTrayLabel:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSTrayLabel:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSTrayLabel>ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:USPSTrayLabel:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostIdentcode:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostIdentcode:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostIdentcode:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostIdentcode:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostIdentcode:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostIdentcode:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostIdentcode:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostIdentcode:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostIdentcode:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostIdentcode:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostIdentcode:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostIdentcode:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostIdentcode:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostIdentcode:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostIdentcode:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostIdentcode:QREncodeHint</Name>
    <Value>Mode8</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostIdentcode:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostIdentcode:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostIdentcode:ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostIdentcode:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostLeitcode:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostLeitcode:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostLeitcode:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostLeitcode:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostLeitcode:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostLeitcode:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostLeitcode:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostLeitcode:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostLeitcode:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostLeitcode:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostLeitcode:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostLeitcode:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostLeitcode:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostLeitcode:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostLeitcode:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostLeitcode:QREncodeHint</Name>
    <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostLeitcode:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostLeitcode:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostLeitcode>ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DeutschePostLeitcode:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Numly:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Numly:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Numly:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Numly:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Numly:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Numly:Code128Alphabet</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:Numly:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Numly:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Numly:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Numly:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Numly:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Numly:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Numly:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Numly:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Numly:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Numly:QREncodeHint</Name>
    <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Numly:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Numly:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Numly>ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:Numly:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PZN:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:PZN:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PZN:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PZN:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PZN:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PZN:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PZN:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PZN:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PZN:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PZN:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PZN:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PZN:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PZN:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PZN:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PZN:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PZN:QREncodeHint</Name>
    <Value>Mode8</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:PZN:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PZN:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PZN>ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:PZN:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:OpticalProduct:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:OpticalProduct:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:OpticalProduct:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:OpticalProduct:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:OpticalProduct:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:OpticalProduct:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:OpticalProduct:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:OpticalProduct:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:OpticalProduct:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:OpticalProduct:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:OpticalProduct:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:OpticalProduct:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:OpticalProduct:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:OpticalProduct:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:OpticalProduct:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:OpticalProduct:QREncodeHint</Name>
    <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:OpticalProduct:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:OpticalProduct:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:OpticalProduct>ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:OpticalProduct:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:SwissPostParcel:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:SwissPostParcel:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:SwissPostParcel:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:SwissPostParcel:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:SwissPostParcel:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:SwissPostParcel:Code128Alphabet</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:PDF417MinimumColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel>ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:RoyalMail:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:RoyalMail:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:RoyalMail:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:RoyalMail:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:RoyalMail:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:RoyalMail:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:RoyalMail:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:RoyalMail:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:RoyalMail:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:RoyalMail:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:RoyalMail:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:RoyalMail:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:RoyalMail:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:RoyalMail:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:RoyalMail:QREncodeHint</Name>
    <Value>Mode8</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:RoyalMail:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:RoyalMail:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:RoyalMail:ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:RoyalMail:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DutchKix:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DutchKix:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DutchKix:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DutchKix:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DutchKix:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DutchKix:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DutchKix:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DutchKix:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DutchKix:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DutchKix:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DutchKix:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:DutchKix:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DutchKix:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DutchKix:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DutchKix:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DutchKix:QREncodeHint</Name>
    <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DutchKix:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DutchKix:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DutchKix>ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:DutchKix:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:SingaporePostalCode:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:SingaporePostalCode:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:SingaporePostalCode:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:SingaporePostalCode:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:SingaporePostalCode:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:SingaporePostalCode:Code128Alphabet</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:PDF417MinimumColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN2:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN2:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN2:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN2:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN2:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN2:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN2:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN2:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN2:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN2:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN2:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN2:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN2:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN2:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN2:QREncodeHint</Name>
    <Value>Mode8</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN2:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN2:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN2:ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN2:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN5:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN5:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN5:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN5:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN5:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN5:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN5:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN5:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN5:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN5:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN5:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN5:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN5:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN5:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN5:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN5:QREncodeHint</Name>
    <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN5:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN5:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN5>ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN5:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN14:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN14:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN14:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN14:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN14:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:EAN14:Code128Alphabet</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:PDF417MinimumColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14>ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:MacroPDF417:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MacroPDF417:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MacroPDF417:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MacroPDF417:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MacroPDF417:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MacroPDF417:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MacroPDF417:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MacroPDF417:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MacroPDF417:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MacroPDF417:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MacroPDF417:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MacroPDF417:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MacroPDF417:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MacroPDF417:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MacroPDF417:QREncodeHint</Name>
    <Value>Mode8</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:MacroPDF417:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MacroPDF417:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MacroPDF417:ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MacroPDF417:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MicroPDF417:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MicroPDF417:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MicroPDF417:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MicroPDF417:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MicroPDF417:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MicroPDF417:Code128Alphabet</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MicroPDF417:DataMatrixCompactionMode</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MicroPDF417:DataMatrixSize</Name>
    <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MicroPDF417:DrawIntercharacterGap</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MicroPDF417:ISBNAutoCaption</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MicroPDF417:PDF417ErrorCorrectionLevel</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
    <Name>barcode:MicroPDF417:PDF417FileID</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MicroPDF417:PDF417LastSegment</Name>
    <Value>1</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MicroPDF417:PDF417MinimumColumnCount</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MicroPDF417:PDF417SegmentIndex</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MicroPDF417:QREncodeHint</Name>
    <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MicroPDF417:QRErrorCorrectionLevel</Name>
    <Value>Low</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MicroPDF417:QRVersion</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MicroPDF417>ShowStartStop</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:MicroPDF417:SupplementSpace</Name>
    <Value>5</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_DataMatrix:AztecErrorCorrectionLevel</Name>
    <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_DataMatrix:AztecSymbolSize</Name>
    <Value>0</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_DataMatrix:CodabarChecksumAlgorithm</Name>
    <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_DataMatrix:CodabarStartSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_DataMatrix:CodabarStopSymbol</Name>
    <Value>A</Value>
</CustomProperty>
<CustomProperty>
    <Name>barcode:GS1_DataMatrix:Code128Alphabet</Name>
    <Value>Auto</Value>
```

```
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:PDF417MinimumColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix>ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
</CustomProperties>
<Style>
  <Border>
```

```
        <Style>None</Style>
    </Border>
    <BackgroundColor>White</BackgroundColor>
</Style>
</CustomReportItem>
</CellContents>
</TablixCell>
</TablixCells>
</TablixRow>
</TablixRows>
</TablixBody>
<TablixColumnHierarchy>
    <TablixMembers>
        <TablixMember />
        <TablixMember />
        <TablixMember />
    </TablixMembers>
</TablixColumnHierarchy>
<TablixRowHierarchy>
    <TablixMembers>
        <TablixMember>
            <KeepWithGroup>After</KeepWithGroup>
            <RepeatOnNewPage>true</RepeatOnNewPage>
            <KeepTogether>true</KeepTogether>
        </TablixMember>
        <TablixMember>
            <Group Name="table1_Details_Group">
                <DataElementName>Detail</DataElementName>
            </Group>
            <TablixMembers>
                <TablixMember />
            </TablixMembers>
            <DataElementName>Detail_Collection</DataElementName>
            <DataElementOutput>Output</DataElementOutput>
            <KeepTogether>true</KeepTogether>
        </TablixMember>
    </TablixMembers>
</TablixRowHierarchy>
<DataSetName>DataSet1</DataSetName>
<Top>0.36in</Top>
<Height>1.39876in</Height>
<Width>7.86458in</Width>
<Style />
</Tablix>
<Textbox Name="textbox1">
    <CanGrow>true</CanGrow>
    <KeepTogether>true</KeepTogether>
    <Paragraphs>
        <Paragraph>
            <TextRuns>
                <TextRun>
                    <Value>Report1</Value>
                    <Style>
                        <FontFamily>Tahoma</FontFamily>
                        <FontSize>20pt</FontSize>
                        <FontWeight>Bold</FontWeight>
                        <Color>SteelBlue</Color>
                    </Style>
                </TextRun>
            </TextRuns>
        </Paragraph>
    </Paragraphs>
</Textbox>
```

```
<Style />
</Paragraph>
</Paragraphs>
<rd:DefaultName>textbox1</rd:DefaultName>
<Height>0.36in</Height>
<Width>7.86458in</Width>
<ZIndex>1</ZIndex>
<Style>
  <PaddingLeft>2pt</PaddingLeft>
  <PaddingRight>2pt</PaddingRight>
  <PaddingTop>2pt</PaddingTop>
  <PaddingBottom>2pt</PaddingBottom>
</Style>
</Textbox>
</ReportItems>
<Height>4.37166in</Height>
<Style />
</Body>
<Width>9.03126in</Width>
<Page>
  <LeftMargin>1in</LeftMargin>
  <RightMargin>1in</RightMargin>
  <TopMargin>1in</TopMargin>
  <BottomMargin>1in</BottomMargin>
  <Style />
</Page>
<Language>en-US</Language>
<ConsumeContainerWhitespace>true</ConsumeContainerWhitespace>
<rd:ReportID>98553481-1a25-4a98-a8a4-aea89629058</rd:ReportID>
<rd:ReportUnitType>Inch</rd:ReportUnitType>
</Report>
```

VIDEO

<https://www.youtube.com/watch?v=REnj3A-oSPI>

ON-PREMISE OFFLINE SDK

[60 Day Free Trial](#) or [Visit ByteScout Barcode SDK Home Page](#)
[Explore ByteScout Barcode SDK Documentation](#)
[Explore Samples](#)
[Sign Up for ByteScout Barcode SDK Online Training](#)

ON-DEMAND REST WEB API

[Get Your API Key](#)
[Explore Web API Docs](#)
[Explore Web API Samples](#)

[visit www.ByteScout.com](#)

[visit www.PDF.co](#)

[www.bytescout.com](#)