

How to generate barcodes in SSRS 2012 in SSRS Reports using ByteScout Barcode SDK

This tutorial will show how to generate barcodes in SSRS 2012 in SSRS Reports

Source code documentation samples provide quick and easy way to add a required functionality into your application. ByteScout Barcode SDK is the fully featured library to generate barcodes. Supports QR Code, Code 39, Code 128, UPC, GS1, GS-128, PDF417, Datamatrix and many other barcode types. Includes various options for barcode generation to ensure output quality, add barcodes to new or existing pdf files and images and you can use it to generate barcodes in SSRS 2012 with SSRS Reports.

This code snippet below for ByteScout Barcode SDK works best when you need to quickly generate barcodes in SSRS 2012 in your SSRS Reports application. Just copy and paste the code into your SSRS Reports application's code and follow the instruction. You can use these SSRS Reports sample examples in one or many applications.

Trial version of ByteScout Barcode SDK can be downloaded for free from our website. It also includes source code samples for SSRS Reports and other programming languages.

FOR MORE INFORMATION AND FREE TRIAL:

[Download Free Trial SDK \(on-premise version\)](#)

[Read more about ByteScout Barcode SDK](#)

[Explore API Documentation](#)

[Get Free Training for ByteScout Barcode SDK](#)

[Get Free API key for Web API](#)

[visit www.Bytescout.com](http://www.Bytescout.com)

Source Code Files:

How to **install** the Bytescout SSRS Control manually

- =====
1. Copy "Bytescout.BarCode.BarCodeReportItem.dll" to
"C:\Program Files\Microsoft Visual Studio 10.0\Common7\IDE\PrivateAssemblies"
and to
"C:\Program Files\Microsoft SQL Server\MSRS11.MSSQLSERVER\Reporting Services\ReportS

NOTE: "MSRS11.MSSQLSERVER" part of Report Services path may vary depending on the s
Make sure you specified the correct path in config files below!!!

2. Edit the "C:\Program Files\Microsoft Visual Studio 10.0\Common7\IDE\PrivateAssemblies"
Add following lines inside the <Extensions> tag:

```
<ReportItems>
  <ReportItem Name="BarCode" Type="Bytescout.BarCode.BarCodeReportItem, Bytescout.BarCode" />
</ReportItems>
<ReportItemDesigner>
  <ReportItem Name="BarCode" Type="Bytescout.BarCode.BarCodeReportItemDesigner, Bytescout.BarCode" />
</ReportItemDesigner>
```

3. Edit the "C:\Program Files\Microsoft SQL Server\MSRS11.MSSQLSERVER\Reporting Services\ReportServer\ReportServer.config" file
Add following lines inside the <Extensions> tag:

```
<ReportItems>
  <ReportItem Name="BarCode" Type="Bytescout.BarCode.BarCodeReportItem, Bytescout.BarCode" />
</ReportItems>
```

4. Edit the "C:\Program Files\Microsoft SQL Server\MSRS11.MSSQLSERVER\Reporting Services\ReportServer\ReportServer.config" file
Add following lines inside the <CodeGroup class="FirstMatchCodeGroup"> tag:

```
<CodeGroup class="UnionCodeGroup" version="1" PermissionSetName="FullTrust" Name="Bytescout.BarCode"
  Description="This code group grants Bytescout.BarCode.BarCodeReportItemDesigner, Bytescout.BarCode
  <IMembershipCondition class="UrlMembershipCondition" version="1" Url="C:\Program Files\Microsoft Visual Studio 10.0\Common7\IDE\PrivateAssemblies\Bytescout.BarCode.dll" />
</CodeGroup>
```

5. Copy "Bytescout.BarCode.dll" to
"C:\Program Files\Microsoft Visual Studio 10.0\Common7\IDE\PrivateAssemblies"
and to
"C:\Program Files\Microsoft SQL Server\MSRS11.MSSQLSERVER\Reporting Services\ReportServer\ReportServer.config"

6. Create new or open existing Report project in Visual Studio 2010 (or in "SQL Server Reporting Services" tool)
Right-click the Visual Studio toolbox and select "Choose Items...". On the .NET Components dialog,
and navigate to "C:\Program Files\Microsoft Visual Studio 10.0\Common7\IDE\PrivateAssemblies\Bytescout.BarCode.dll".
BarCode control icon will appear on the toolbox and you now can drag and drop it on the report.

7. To set dynamic barcode value for the put "=Fields!ReportField.Value" expression to \

```
<?xml version="1.0" encoding="utf-8"?>
<Report xmlns="http://schemas.microsoft.com/sqlserver/reporting/2008/01/reportdefinition"
  <Body>
    <ReportItems>
      <Table Name="table1">
        <TableBody>
          <TableColumns>
            <TableColumn>
              <Width>1in</Width>
            </TableColumn>
            <TableColumn>
              <Width>1in</Width>
            </TableColumn>
            <TableColumn>
              <Width>2.38542in</Width>
            </TableColumn>
            <TableColumn>
              <Width>3.14583in</Width>
            </TableColumn>
          </TableColumns>
          <TableRows>
            <TableRow>
              <Height>0.22in</Height>
              <TableCells>
                <TableCell>
                  <CellContents>
                    <Textbox Name="textbox2">
                      <CanGrow>true</CanGrow>
                      <KeepTogether>true</KeepTogether>
                      <Paragraphs>
                        <Paragraph>
                          <TextRuns>
                            <TextRun>
                              <Value>Product ID</Value>
                              <Style>
                                <FontFamily>Tahoma</FontFamily>
                                <FontSize>11pt</FontSize>
                                <FontWeight>Bold</FontWeight>
                                <Color>White</Color>
                              </Style>
                            </TextRun>
                          </TextRuns>
                          <Style>
                            <TextAlign>Right</TextAlign>
                          </Style>
                        </Paragraph>
                      </Paragraphs>
                      <rd:DefaultName>textbox2</rd:DefaultName>
                      <Style>
                        <Border>
                          <Color>LightGrey</Color>
                          <Style>Solid</Style>
                        </Border>
                        <BackgroundColor>SteelBlue</BackgroundColor>
                        <PaddingLeft>2pt</PaddingLeft>
                    </Textbox>
                </TableCell>
              </TableCells>
            </TableRow>
          </TableRows>
        </TableBody>
      </Table>
    </ReportItems>
  </Body>
</Report>
```

```

        <PaddingRight>2pt</PaddingRight>
        <PaddingTop>2pt</PaddingTop>
        <PaddingBottom>2pt</PaddingBottom>
    </Style>
</Textbox>
</CellContents>
</TablixCell>
<TablixCell>
    <CellContents>
        <Textbox Name="textbox3">
            <CanGrow>true</CanGrow>
            <KeepTogether>true</KeepTogether>
            <Paragraphs>
                <Paragraph>
                    <TextRuns>
                        <TextRun>
                            <Value>Name</Value>
                            <Style>
                                <FontFamily>Tahoma</FontFamily>
                                <FontSize>11pt</FontSize>
                                <FontWeight>Bold</FontWeight>
                                <Color>White</Color>
                            </Style>
                        </TextRun>
                    </TextRuns>
                <Style />
            </Paragraph>
        </Paragraphs>
        <rd:DefaultName>textbox3</rd:DefaultName>
        <Style>
            <Border>
                <Color>LightGrey</Color>
                <Style>Solid</Style>
            </Border>
            <BackgroundColor>SteelBlue</BackgroundColor>
            <PaddingLeft>2pt</PaddingLeft>
            <PaddingRight>2pt</PaddingRight>
            <PaddingTop>2pt</PaddingTop>
            <PaddingBottom>2pt</PaddingBottom>
        </Style>
    </Textbox>
</CellContents>
</TablixCell>
<TablixCell>
    <CellContents>
        <Textbox Name="textbox4">
            <CanGrow>true</CanGrow>
            <KeepTogether>true</KeepTogether>
            <Paragraphs>
                <Paragraph>
                    <TextRuns>
                        <TextRun>
                            <Value>Product Number</Value>
                            <Style>
                                <FontFamily>Tahoma</FontFamily>
                                <FontSize>11pt</FontSize>
                                <FontWeight>Bold</FontWeight>
                                <Color>White</Color>
                            </Style>
                        </TextRun>
                    </TextRuns>
                </Paragraph>
            </Paragraphs>
        </Textbox>
    </CellContents>
</TablixCell>

```

```

        </TextRuns>
        <Style />
    </Paragraph>
</Paragraphs>
<rd:DefaultName>textbox4</rd:DefaultName>
<Style>
    <Border>
        <Color>LightGrey</Color>
        <Style>Solid</Style>
    </Border>
    <BackgroundColor>SteelBlue</BackgroundColor>
    <PaddingLeft>2pt</PaddingLeft>
    <PaddingRight>2pt</PaddingRight>
    <PaddingTop>2pt</PaddingTop>
    <PaddingBottom>2pt</PaddingBottom>
</Style>
</Textbox>
</CellContents>
</TablixCell>
<TablixCell>
    <CellContents>
        <Textbox Name="textbox5">
            <CanGrow>>true</CanGrow>
            <KeepTogether>>true</KeepTogether>
            <Paragraphs>
                <Paragraph>
                    <TextRuns>
                        <TextRun>
                            <Value>Barcode</Value>
                            <Style>
                                <FontFamily>Tahoma</FontFamily>
                                <FontSize>11pt</FontSize>
                                <FontWeight>Bold</FontWeight>
                                <Color>White</Color>
                            </Style>
                        </TextRun>
                    </TextRuns>
                    <Style />
                </Paragraph>
            </Paragraphs>
            <rd:DefaultName>textbox4</rd:DefaultName>
            <Style>
                <Border>
                    <Color>LightGrey</Color>
                    <Style>Solid</Style>
                </Border>
                <BackgroundColor>SteelBlue</BackgroundColor>
                <PaddingLeft>2pt</PaddingLeft>
                <PaddingRight>2pt</PaddingRight>
                <PaddingTop>2pt</PaddingTop>
                <PaddingBottom>2pt</PaddingBottom>
            </Style>
        </Textbox>
    </CellContents>
</TablixCell>
</TablixCells>
</TablixRow>
<TablixRow>
    <Height>0.81417in</Height>
    <TablixCells>

```

```

<TablixCell>
  <CellContents>
    <Textbox Name="ProductID">
      <CanGrow>true</CanGrow>
      <KeepTogether>true</KeepTogether>
      <Paragraphs>
        <Paragraph>
          <TextRuns>
            <TextRun>
              <Value>=Fields!ProductID.Value</Value>
              <Style>
                <FontFamily>Tahoma</FontFamily>
              </Style>
            </TextRun>
          </TextRuns>
          <Style />
        </Paragraph>
      </Paragraphs>
      <rd:DefaultName>ProductID</rd:DefaultName>
      <Style>
        <Border>
          <Color>LightGrey</Color>
          <Style>Solid</Style>
        </Border>
        <PaddingLeft>2pt</PaddingLeft>
        <PaddingRight>2pt</PaddingRight>
        <PaddingTop>2pt</PaddingTop>
        <PaddingBottom>2pt</PaddingBottom>
      </Style>
    </Textbox>
  </CellContents>
</TablixCell>
<TablixCell>
  <CellContents>
    <Textbox Name="Name">
      <CanGrow>true</CanGrow>
      <KeepTogether>true</KeepTogether>
      <Paragraphs>
        <Paragraph>
          <TextRuns>
            <TextRun>
              <Value>=Fields!Name.Value</Value>
              <Style>
                <FontFamily>Tahoma</FontFamily>
              </Style>
            </TextRun>
          </TextRuns>
          <Style />
        </Paragraph>
      </Paragraphs>
      <rd:DefaultName>Name</rd:DefaultName>
      <Style>
        <Border>
          <Color>LightGrey</Color>
          <Style>Solid</Style>
        </Border>
        <PaddingLeft>2pt</PaddingLeft>
        <PaddingRight>2pt</PaddingRight>
        <PaddingTop>2pt</PaddingTop>
        <PaddingBottom>2pt</PaddingBottom>
      </Style>
    </Textbox>
  </CellContents>
</TablixCell>

```

```

        </Style>
    </Textbox>
</CellContents>
</TablixCell>
<TablixCell>
    <CellContents>
        <Textbox Name="ProductNumber">
            <CanGrow>true</CanGrow>
            <KeepTogether>true</KeepTogether>
            <Paragraphs>
                <Paragraph>
                    <TextRuns>
                        <TextRun>
                            <Value>=Fields!ProductNumber.Value</Value>
                            <Style>
                                <FontFamily>Tahoma</FontFamily>
                            </Style>
                        </TextRun>
                    </TextRuns>
                    <Style />
                </Paragraph>
            </Paragraphs>
            <rd:DefaultName>ProductNumber</rd:DefaultName>
            <Style>
                <Border>
                    <Color>LightGrey</Color>
                    <Style>Solid</Style>
                </Border>
                <PaddingLeft>2pt</PaddingLeft>
                <PaddingRight>2pt</PaddingRight>
                <PaddingTop>2pt</PaddingTop>
                <PaddingBottom>2pt</PaddingBottom>
            </Style>
        </Textbox>
        <rd:Selected>true</rd:Selected>
    </CellContents>
</TablixCell>
<TablixCell>
    <CellContents>
        <CustomReportItem Name="BarCode1">
            <Type>BarCode</Type>
            <CustomProperties>
                <CustomProperty>
                    <Name>barcode:symbology</Name>
                    <Value>QRCode</Value>
                </CustomProperty>
                <CustomProperty>
                    <Name>barcode:regname</Name>
                    <Value>demo</Value>
                </CustomProperty>
                <CustomProperty>
                    <Name>barcode:regkey</Name>
                    <Value>demo</Value>
                </CustomProperty>
                <CustomProperty>
                    <Name>barcode:value</Name>
                    <Value>=Fields!ProductNumber.Value</Value>
                </CustomProperty>
                <CustomProperty>
                    <Name>barcode:supplement_value</Name>

```

```
<Value />
</CustomProperty>
<CustomProperty>
  <Name>barcode:showCaption</Name>
  <Value>true</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:caption_font</Name>
  <Value>Arial|18|Regular</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:caption_position</Name>
  <Value>Before</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:additional_caption</Name>
  <Value />
</CustomProperty>
<CustomProperty>
  <Name>barcode:additional_caption_font</Name>
  <Value>Arial|18|Regular</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:additional_caption_position</Name>
  <Value>Above</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:draw_quiet_zones</Name>
  <Value>true</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:checksum</Name>
  <Value>>false</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:checksum_in_caption</Name>
  <Value>>false</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:angle</Name>
  <Value>Degrees0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:smoothing_mode</Name>
  <Value>Default</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:text_rendering_hint</Name>
  <Value>SystemDefault</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:CodabarChecksumAlgorithm</Name>
```



```
<Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:PDF417CompactionMode</Name>
```

```
<Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code128:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:ISBNAutoCaption</Name>
```

```
<Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code39:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:AztecSymbolSize</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:PDF417RowCount</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Postnet:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:DrawIntercharacterGap</Name>
```

```
<Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCA:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:AztecErrorCorrectionLevel</Name>
```

```
<Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:PDF417ColumnCount</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN8:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:DataMatrixSize</Name>
```



```
<Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ISBN:SupplementSpace</Name>
```

```
<Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:PDF417UseManualSize</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Codabar:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:DataMatrixCompactionMode</Name>
```

```
<Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:ShowStartStop</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:I2of5:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:PDF417SegmentIndex</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Code93:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:Code128Alphabet</Name>
```

```
<Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:QRVersion</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN13:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:PDF417LastSegment</Name>
```



```
<Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:JAN13:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:CodabarStopSymbol</Name>
```

```
<Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:QRErrorCorrectionLevel</Name>
```

```
<Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Bookland:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:PDF417FileID</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:UPCE:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:CodabarStartSymbol</Name>
```

```
<Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:QREncodeHint</Name>
```

```
<Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:PDF417ErrorCorrectionLevel</Name>
```

```
<Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PDF417Truncated:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:CodabarChecksumAlgorithm</Name>
```

```
<Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:PDF417CompactionMode</Name>
```



```
<Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DataMatrix:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:ISBNAutoCaption</Name>
```

```
<Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:QRCode:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:AztecSymbolSize</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:PDF417RowCount</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Aztec:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:DrawIntercharacterGap</Name>
```

```
<Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Planet:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:AztecErrorCorrectionLevel</Name>
```

```
<Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:PDF417ColumnCount</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN128:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:DataMatrixSize</Name>
```

```
<Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_128:SupplementSpace</Name>
```



```
<Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:PDF417UseManualSize</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSSackLabel:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:DataMatrixCompactionMode</Name>
```

```
<Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:ShowStartStop</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:USPSTrayLabel:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:PDF417SegmentIndex</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostIdentcode:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:Code128Alphabet</Name>
```

```
<Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:QRVersion</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DeutschePostLeitcode:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:PDF417LastSegment</Name>
```

```
<Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Numly:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:CodabarStopSymbol</Name>
```



```
<Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:QRErrorCorrectionLevel</Name>
```

```
<Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:PZN:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:PDF417FileID</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:OpticalProduct:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:CodabarStartSymbol</Name>
```

```
<Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:QREncodeHint</Name>
```

```
<Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SwissPostParcel:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:PDF417ErrorCorrectionLevel</Name>
```

```
<Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:RoyalMail:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:CodabarChecksumAlgorithm</Name>
```

```
<Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:PDF417CompactionMode</Name>
```

```
<Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:DutchKix:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:ISBNAutoCaption</Name>
```



```
<Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:SingaporePostalCode:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:AztecSymbolSize</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:PDF417RowCount</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN2:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:DrawIntercharacterGap</Name>
```

```
<Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN5:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:AztecErrorCorrectionLevel</Name>
```

```
<Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:PDF417ColumnCount</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:EAN14:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:DataMatrixSize</Name>
```

```
<Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MacroPDF417:SupplementSpace</Name>
```

```
<Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:PDF417UseManualSize</Name>
```



```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MicroPDF417:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:DataMatrixCompactionMode</Name>
```

```
<Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:ShowStartStop</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataMatrix:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telegen:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telegen:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telegen:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telegen:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telegen:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telegen:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telegen:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telegen:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telegen:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telegen:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telegen:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telegen:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telegen:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telegen:PDF417SegmentIndex</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telepen:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telepen:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telepen:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telepen:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telepen:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telepen:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telepen:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telepen:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Telepen:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:Code128Alphabet</Name>
```

```
<Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:QRVersion</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:IntelligentMail:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:AztecErrorCorrectio
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:CodabarChecksumAlgo
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:CodabarStartSymbol
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:CodabarStopSymbol<
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:DataMatrixCompactio
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:DrawIntercharacterC
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:PDF417ErrorCorrect
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:PDF417LastSegment<
```

```
<Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Omnidirectional:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:CodabarStopSymbol</Name>
```

```
<Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:QRErrorCorrectionLevel</Name>
```



```
<Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Truncated:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:PDF417FileID</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:AztecError
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:AztecSymbol
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:CodabarChe
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:CodabarSta
```

```
<Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:CodabarStop
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:Code128Alph
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:DataMatrix
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:DataMatrixS
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:DrawIntercl
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:ISBNAutoCap
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:PDF417Error
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:PDF417File
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:PDF417Last
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:PDF417Segme
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:PDF417UseM
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:PDF417Colur
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:PDF417RowC
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:PDF417Comp
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:QREncodeHi
```

```
<Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:QRErrorCorr
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:QRVersion<
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:ShowStartS
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Stacked_Omnidirectional:Supplement
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:AztecErrorCorrectionLevel<
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:CodabarChecksumAlgorithm</
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:DataMatrixCompactionMode</
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:DrawIntercharacterGap</Name
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:PDF417ErrorCorrectionLevel<
```

```
<Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Limited:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:CodabarChecksumAlgorithm</Name>
```

```
<Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:PDF417CompactionMode</Name>
```

```
<Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:AztecErrorCorrect
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:CodabarChecksumAlgo
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:CodabarStartSymbol
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:CodabarStopSymbol
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:DataMatrixCompact
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:DrawIntercharacter
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:ISBNAutoCaption</Name>
```

```
<Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:PDF417ErrorCorrec
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:PDF417FileID</Name
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:PDF417LastSegment-
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:PDF417SegmentIndex
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:PDF417UseManualSi
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:PDF417ColumnCount-
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:PDF417RowCount</Na
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:PDF417CompactionM
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:QREncodeHint</Name
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:QRErrorCorrectionL
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:ShowStartStop</Na
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GS1_DataBar_Expanded_Stacked:SupplementSpace</I
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:AztecSymbolSize</Name>
```



```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:PDF417RowCount</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MaxiCode:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:DrawIntercharacterGap</Name>
```

```
<Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:Plessey:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:AztecErrorCorrectionLevel</Name>
```

```
<Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:PDF417ColumnCount</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:MSI:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:DataMatrixSize</Name>
```

```
<Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:ITF14:SupplementSpace</Name>
```

```
<Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:PDF417UseManualSize</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN12:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:DataMatrixCompactionMode</Name>
```



```
<Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:ShowStartStop</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN8:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:Code128Alphabet</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:PDF417SegmentIndex</Name>
```

```
<Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:QRVersion</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:ShowStartStop</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN13:SupplementSpace</Name>
  <Value>5</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN14:AztecErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN14:AztecSymbolSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN14:CodabarChecksumAlgorithm</Name>
  <Value>Modulo9</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN14:CodabarStartSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN14:CodabarStopSymbol</Name>
  <Value>A</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN14:Code128Alphabet</Name>
```

```
<Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN14:DataMatrixCompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN14:DataMatrixSize</Name>
  <Value>AutoSquareSize</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN14:DrawIntercharacterGap</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN14:ISBNAutoCaption</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN14:PDF417ErrorCorrectionLevel</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN14:PDF417FileID</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN14:PDF417LastSegment</Name>
  <Value>1</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN14:PDF417SegmentIndex</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN14:PDF417UseManualSize</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN14:PDF417ColumnCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN14:PDF417RowCount</Name>
  <Value>0</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN14:PDF417CompactionMode</Name>
  <Value>Auto</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN14:QREncodeHint</Name>
  <Value>Mode8</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN14:QRErrorCorrectionLevel</Name>
  <Value>Low</Value>
</CustomProperty>
<CustomProperty>
  <Name>barcode:GTIN14:QRVersion</Name>
```

```

        <Value>0</Value>
      </CustomProperty>
      <CustomProperty>
        <Name>barcode:GTIN14:ShowStartStop</Name>
        <Value>0</Value>
      </CustomProperty>
      <CustomProperty>
        <Name>barcode:GTIN14:SupplementSpace</Name>
        <Value>5</Value>
      </CustomProperty>
    </CustomProperties>
    <Style>
      <Border>
        <Style>None</Style>
      </Border>
    </Style>
  </CustomReportItem>
</CellContents>
</TablixCell>
</TablixCells>
</TablixRow>
</TablixRows>
</TablixBody>
<TablixColumnHierarchy>
  <TablixMembers>
    <TablixMember />
    <TablixMember />
    <TablixMember />
    <TablixMember />
  </TablixMembers>
</TablixColumnHierarchy>
<TablixRowHierarchy>
  <TablixMembers>
    <TablixMember>
      <KeepWithGroup>After</KeepWithGroup>
      <RepeatOnNewPage>>true</RepeatOnNewPage>
      <KeepTogether>>true</KeepTogether>
    </TablixMember>
    <TablixMember>
      <Group Name="table1_Details_Group">
        <DataElementName>Detail</DataElementName>
      </Group>
      <TablixMembers>
        <TablixMember />
      </TablixMembers>
      <DataElementName>Detail_Collection</DataElementName>
      <DataElementOutput>Output</DataElementOutput>
      <KeepTogether>>true</KeepTogether>
    </TablixMember>
  </TablixMembers>
</TablixRowHierarchy>
<DataSetName>DataSet1</DataSetName>
<Top>0.36in</Top>
<Height>1.03417in</Height>
<Width>7.53125in</Width>
<Style />
</Tablix>
<Textbox Name="textbox1">
  <CanGrow>>true</CanGrow>
  <KeepTogether>>true</KeepTogether>

```

```

    <Paragraphs>
      <Paragraph>
        <TextRuns>
          <TextRun>
            <Value>Report1</Value>
            <Style>
              <FontFamily>Tahoma</FontFamily>
              <FontSize>20pt</FontSize>
              <FontWeight>Bold</FontWeight>
              <Color>SteelBlue</Color>
            </Style>
          </TextRun>
        </TextRuns>
      </Paragraph>
    </Paragraphs>
    <rd:DefaultName>textbox1</rd:DefaultName>
    <Height>0.36in</Height>
    <Width>5in</Width>
    <ZIndex>1</ZIndex>
    <Style>
      <PaddingLeft>2pt</PaddingLeft>
      <PaddingRight>2pt</PaddingRight>
      <PaddingTop>2pt</PaddingTop>
      <PaddingBottom>2pt</PaddingBottom>
    </Style>
  </Textbox>
</ReportItems>
<Height>1.79in</Height>
<Style />
</Body>
<Width>9.57292in</Width>
<Page>
  <LeftMargin>1in</LeftMargin>
  <RightMargin>1in</RightMargin>
  <TopMargin>1in</TopMargin>
  <BottomMargin>1in</BottomMargin>
<Style />
</Page>
<AutoRefresh>0</AutoRefresh>
<DataSources>
  <DataSource Name="DataSource1">
    <ConnectionProperties>
      <DataProvider>SQL</DataProvider>
      <ConnectionString>Data Source=WIN-OJAU5IRD009;Initial Catalog=AdventureWorks</Conn
      <IntegratedSecurity>>true</IntegratedSecurity>
    </ConnectionProperties>
    <rd:SecurityType>Integrated</rd:SecurityType>
    <rd:DataSourceID>662c82c8-9c0b-43ec-8902-70cc8f079a29</rd:DataSourceID>
  </DataSource>
</DataSources>
<DataSets>
  <DataSet Name="DataSet1">
    <Query>
      <DataSourceName>DataSource1</DataSourceName>
      <CommandText>SELECT          ProductID, Name, ProductNumber
FROM          Production.Product</CommandText>
    </Query>
    <Fields>
      <Field Name="ProductID">

```



```
<Options>
  <OutputPath>bin\DebugLocal</OutputPath>
  <TargetServerVersion>SSRS2008R2</TargetServerVersion>
  <TargetFolder>TestReport2012</TargetFolder>
  <TargetDataSourceFolder>Data Sources</TargetDataSourceFolder>
  <TargetDatasetFolder>Datasets</TargetDatasetFolder>
  <TargetReportPartFolder>Report Parts</TargetReportPartFolder>
</Options>
</Configuration>
<Configuration>
  <Name>Release</Name>
  <Platform>Win32</Platform>
  <Options>
    <OutputPath>bin\Release</OutputPath>
    <TargetServerVersion>SSRS2008R2</TargetServerVersion>
    <TargetFolder>TestReport2012</TargetFolder>
    <TargetDataSourceFolder>Data Sources</TargetDataSourceFolder>
    <TargetDatasetFolder>Datasets</TargetDatasetFolder>
    <TargetReportPartFolder>Report Parts</TargetReportPartFolder>
  </Options>
</Configuration>
</Configurations>
</Project>
```

VIDEO

<https://www.youtube.com/watch?v=REnj3A-oSPI>

ON-PREMISE OFFLINE SDK

[60 Day Free Trial](#) or [Visit ByteScout Barcode SDK Home Page](#)
[Explore ByteScout Barcode SDK Documentation](#)
[Explore Samples](#)
[Sign Up for ByteScout Barcode SDK Online Training](#)

ON-DEMAND REST WEB API

[Get Your API Key](#)
[Explore Web API Docs](#)
[Explore Web API Samples](#)

[visit www.ByteScout.com](http://www.ByteScout.com)

[visit www.PDF.co](http://www.PDF.co)

www.bytescout.com