

## How to read barcodes from image with barcode reader sdk in ASP.NET C# with ByteScout Barcode Suite

How to write a robust code in ASP.NET C# to read barcodes from image with barcode reader sdk with this step-by-step tutorial

Quickly learn how to read barcodes from image with barcode reader sdk in ASP.NET C# with this sample source code. Want to read barcodes from image with barcode reader sdk in your ASP.NET C# app? ByteScout Barcode Suite is designed for it. ByteScout Barcode Suite is the bundle that provides 3 SDK products to generate barcodes (Barcode SDK), read barcodes (Barcode Reader SDK) and read and write spreadsheets (Spreadsheet SDK).

This prolific sample source code in ASP.NET C# for ByteScout Barcode Suite contains various functions and other necessary options you should do calling the API to read barcodes from image with barcode reader sdk. Simply copy and paste in your ASP.NET C# project or application you and then run your app! Further improvement of the code will make it more robust.

You can download free trial version of ByteScout Barcode Suite from our website to see and try many others source code samples for ASP.NET C#.

FOR MORE INFORMATION AND FREE TRIAL:

[Download Free Trial SDK \(on-premise version\)](#)

[Read more about ByteScout Barcode Suite](#)

[Explore API Documentation](#)

[Get Free Training for ByteScout Barcode Suite](#)

[Get Free API key for Web API](#)

[visit www.Bytescout.com](http://www.Bytescout.com)

Source Code Files:

## Default.aspx

```
<%@ Page Language="C#" AutoEventWireup="true" CodeBehind="Default.aspx.cs" Inherits="WebTestSharp.Default" %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
<title>Web Barcode Reader Tester (C#)</title>
</head>
<body>
<form id="form1" runat="server">
<div>
Click browse button to upload an image<br />
<br />
<asp:FileUpload ID="FileUpload1" runat="server" /><br />
<br />
<asp:Button id="UploadButton"
Text="Upload file"
OnClick="UploadButton_Click"
runat="server">
</asp:Button>
<br />
<br />
<asp:Label id="UploadStatusLabel" Text="" runat="server"></asp:Label>
<br />
<asp:ListBox ID="ListBox1" runat="server" Visible="False"></asp:ListBox><br />
<br />
<asp:Image ID="Image1" runat="server" Height="74px" Width="71px" /></div>
</form>
</body>
</html>
```

## Default.aspx.cs

```
using System;
using System.Drawing;
using System.IO;
using Bytescout.BarCodeReader;

namespace WebTestSharp
{
    /*
    IF YOU SEE TEMPORARY FOLDER ACCESS ERRORS:

    Temporary folder access is required for web application when you use ByteScout SDK
    If you are getting errors related to the access to temporary folder like "Access to
```

## SOLUTION:

If your IIS Application Pool has "Load User Profile" option enabled the IIS provide

If you are running Web Application under an impersonated account or IIS\_IUSRS group

In this case

- check the User or User Group your web application is running under
- then add permissions for this User or User Group to read and write into that temp
- restart your web application and try again

\*/

```
public partial class _Default : System.Web.UI.Page
{
    protected void UploadButton_Click(object sender, EventArgs e)
    {
        String savePath = @"\uploads\";

        if (FileUpload1.HasFile)
        {
            string virtualFilePath = Path.Combine(savePath, FileUpload1

string serverFilePath = Server.MapPath(virtualFilePath);
if (!Directory.Exists(Path.GetDirectoryName(serverFilePath)))
    Directory.CreateDirectory(Path.GetDirectoryName(serverFilePath));

FileUpload1.SaveAs(serverFilePath);

        Image image = null;

        try
        {
            using (Stream fileStream = File.OpenRead(serverFilePath))
            {
                image = Image.FromStream(fileStream);
            }
        }
        catch (Exception)
        {
        }

        if (image == null)
        {
            UploadStatusLabel.Visible = true;
            UploadStatusLabel.Text = "Your file is not an
            Image1.Visible = false;
            ListBox1.Visible = false;
        }
        else
        {
            UploadStatusLabel.Visible = false;
            Image1.ImageUrl = virtualFilePath;
            Image1.Visible = true;
            Image1.Width = image.Width;
            Image1.Height = image.Height;
            ListBox1.Items.Clear();
            ListBox1.Visible = true;

            FindBarcodes(serverFilePath);
        }
    }
}
```

```

        if (ListBox1.Items.Count == 0)
            ListBox1.Items.Add("No barcodes found");
    }
}
else
{
    // Notify the user that a file was not uploaded.
    UploadStatusLabel.Text = "You did not specify a file to upload";
}
}

private void FindBarcodes(string fileName)
{
    Reader reader = new Reader();

    // Limit search to 1D barcodes only (exclude 2D barcodes to speed up search)
    // Change to reader.BarcodeTypesToFind.SetAll() to scan for all barcode types
    // or select specific type, e.g. reader.BarcodeTypesToFind.PDF417
    reader.BarcodeTypesToFind.SetAll1D();

    // reader.MediumTrustLevelCompatible = true; // uncomment this if you are using a .NET Framework version 4.0 or earlier
    reader.ReadFromFile(fileName);

    foreach (FoundBarcode barcode in reader.FoundBarcodes)
    {
        ListBox1.Items.Add(String.Format("{0} : {1}", barcode.Type, barcode.Value));
    }
}
}
}
}

```

Default.aspx.designer.cs

```

//-----
// <auto-generated>
// This code was generated by a tool.
//
// Changes to this file may cause incorrect behavior and will be lost if
// the code is regenerated.
// </auto-generated>
//-----

namespace WebTestSharp {

    public partial class _Default {

        /// <summary>

```

```
/// form1 control.
/// </summary>
/// <remarks>
/// Auto-generated field.
/// To modify move field declaration from designer file to code-behind file.
/// </remarks>
protected global::System.Web.UI.HtmlControls.HtmlForm form1;

/// <summary>
/// FileUpload1 control.
/// </summary>
/// <remarks>
/// Auto-generated field.
/// To modify move field declaration from designer file to code-behind file.
/// </remarks>
protected global::System.Web.UI.WebControls.FileUpload FileUpload1;

/// <summary>
/// UploadButton control.
/// </summary>
/// <remarks>
/// Auto-generated field.
/// To modify move field declaration from designer file to code-behind file.
/// </remarks>
protected global::System.Web.UI.WebControls.Button UploadButton;

/// <summary>
/// UploadStatusLabel control.
/// </summary>
/// <remarks>
/// Auto-generated field.
/// To modify move field declaration from designer file to code-behind file.
/// </remarks>
protected global::System.Web.UI.WebControls.Label UploadStatusLabel;

/// <summary>
/// ListBox1 control.
/// </summary>
/// <remarks>
/// Auto-generated field.
/// To modify move field declaration from designer file to code-behind file.
/// </remarks>
protected global::System.Web.UI.WebControls.ListBox ListBox1;

/// <summary>
/// Image1 control.
/// </summary>
/// <remarks>
/// Auto-generated field.
/// To modify move field declaration from designer file to code-behind file.
/// </remarks>
protected global::System.Web.UI.WebControls.Image Image1;
}
}
```

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.Security;
using System.Web.SessionState;

namespace Barcodes_From_Image
{
    public class Global : System.Web.HttpApplication
    {
        void Application_Start(object sender, EventArgs e)
        {
            // Code that runs on application startup
        }

        void Application_End(object sender, EventArgs e)
        {
            // Code that runs on application shutdown
        }

        void Application_Error(object sender, EventArgs e)
        {
            // Code that runs when an unhandled error occurs
        }

        void Session_Start(object sender, EventArgs e)
        {
            // Code that runs when a new session is started
        }

        void Session_End(object sender, EventArgs e)
        {
            // Code that runs when a session ends.
            // Note: The Session_End event is raised only when the sessionstate mode
            // is set to InProc in the Web.config file. If session mode is set to State
            // or SQLServer, the event is not raised.
        }
    }
}
```

## Site.Master.cs

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Web;
using System.Web.UI;
using System.Web.UI.WebControls;

namespace Barcodes_From_Image
{
    public partial class SiteMaster : System.Web.UI.MasterPage
    {
        protected void Page_Load(object sender, EventArgs e)
        {

        }
    }
}
```

## Site.Master.designer.cs

```
//-----
// <auto-generated>
//     This code was generated by a tool.
//
//     Changes to this file may cause incorrect behavior and will be lost if
//     the code is regenerated.
// </auto-generated>
//-----

namespace Barcodes_From_Image
{

    public partial class SiteMaster
    {

        /// <summary>
        /// HeadContent control.
        /// </summary>
        /// <remarks>
        /// Auto-generated field.
        /// To modify move field declaration from designer file to code-behind file.
        /// </remarks>
        protected global::System.Web.UI.WebControls.ContentPlaceHolder HeadContent;
    }
}
```

```

    /// <summary>
    /// MasterPageScriptManager control.
    /// </summary>
    /// <remarks>
    /// Auto-generated field.
    /// To modify move field declaration from designer file to code-behind file.
    /// </remarks>
    protected global::System.Web.UI.ScriptManager MasterPageScriptManager;

    /// <summary>
    /// HeadLoginView control.
    /// </summary>
    /// <remarks>
    /// Auto-generated field.
    /// To modify move field declaration from designer file to code-behind file.
    /// </remarks>
    protected global::System.Web.UI.WebControls.LoginView HeadLoginView;

    /// <summary>
    /// HeadHomeLink control.
    /// </summary>
    /// <remarks>
    /// Auto-generated field.
    /// To modify move field declaration from designer file to code-behind file.
    /// </remarks>
    protected global::System.Web.UI.HtmlControls.HtmlAnchor HeadHomeLink;

    /// <summary>
    /// HeadAboutLink control.
    /// </summary>
    /// <remarks>
    /// Auto-generated field.
    /// To modify move field declaration from designer file to code-behind file.
    /// </remarks>
    protected global::System.Web.UI.HtmlControls.HtmlAnchor HeadAboutLink;

    /// <summary>
    /// MainContent control.
    /// </summary>
    /// <remarks>
    /// Auto-generated field.
    /// To modify move field declaration from designer file to code-behind file.
    /// </remarks>
    protected global::System.Web.UI.WebControls.ContentPlaceHolder MainContent;
}
}

```

Web.Debug.config

```

<?xml version="1.0"?>

<!-- For more information on using web.config transformation visit http://go.microsoft.com/fwlink/?LinkId=290926 -->

<configuration xmlns:xdt="http://schemas.microsoft.com/XML-Document-Transform">
  <!--
  In the example below, the "SetAttributes" transform will change the value of
  "connectionString" to use "ReleaseSqlServer" only when the "Match" locator
  finds an attribute "name" that has a value of "MyDB".

  <connectionStrings>
    <add name="MyDB"
      connectionString="Data Source=ReleaseSqlServer;Initial Catalog=MyReleaseDB;Int
      xdt:Transform="SetAttributes" xdt:Locator="Match(name)"/>
    </connectionStrings>
  -->
  <system.web>
    <!--
    In the example below, the "Replace" transform will replace the entire
    <customErrors> section of your web.config file.
    Note that because there is only one customErrors section under the
    <system.web> node, there is no need to use the "xdt:Locator" attribute.

    <customErrors defaultRedirect="GenericError.htm"
      mode="RemoteOnly" xdt:Transform="Replace">
      <error statusCode="500" redirect="InternalError.htm"/>
    </customErrors>
  -->
  </system.web>
</configuration>

```

## Web.Release.config

```

<?xml version="1.0"?>

<!-- For more information on using web.config transformation visit http://go.microsoft.com/fwlink/?LinkId=290926 -->

<configuration xmlns:xdt="http://schemas.microsoft.com/XML-Document-Transform">
  <!--
  In the example below, the "SetAttributes" transform will change the value of
  "connectionString" to use "ReleaseSqlServer" only when the "Match" locator
  finds an attribute "name" that has a value of "MyDB".

  <connectionStrings>
    <add name="MyDB"
      connectionString="Data Source=ReleaseSqlServer;Initial Catalog=MyReleaseDB;Int
      xdt:Transform="SetAttributes" xdt:Locator="Match(name)"/>
    </connectionStrings>
  -->
  <system.web>
    <compilation xdt:Transform="RemoveAttributes(debug)" />
  </system.web>
</configuration>

```

```

<!--
  In the example below, the "Replace" transform will replace the entire
  <customErrors> section of your web.config file.
  Note that because there is only one customErrors section under the
  <system.web> node, there is no need to use the "xdt:Locator" attribute.

  <customErrors defaultRedirect="GenericError.htm"
    mode="RemoteOnly" xdt:Transform="Replace">
    <error statusCode="500" redirect="InternalError.htm" />
  </customErrors>
-->
</system.web>
</configuration>

```

## Web.config

```

<?xml version="1.0"?>
<!--
  For more information on how to configure your ASP.NET application, please visit
  http://go.microsoft.com/fwlink/?LinkId=169433
-->
<configuration>
  <connectionStrings>
    <add name="ApplicationServices"
      connectionString="data source=.\SQLEXPRESS;Integrated Security=SSPI;AttachDBF=
      providerName="System.Data.SqlClient" />
  </connectionStrings>

  <system.web>
    <compilation debug="true" targetFramework="4.0" />

    <authentication mode="Forms">
      <forms loginUrl="~/Account/Login.aspx" timeout="2880" />
    </authentication>

    <membership>
      <providers>
        <clear/>
        <add name="AspNetSqlMembershipProvider" type="System.Web.Security.SqlMembershipP
          enablePasswordRetrieval="false" enablePasswordReset="true" requiresQuestio
          maxInvalidPasswordAttempts="5" minRequiredPasswordLength="6" minRequiredN
          applicationName="/" />
      </providers>
    </membership>

    <profile>
      <providers>
        <clear/>
        <add name="AspNetSqlProfileProvider" type="System.Web.Profile.SqlProfileProvide

```

```
</providers>
</profile>

<roleManager enabled="false">
  <providers>
    <clear/>
    <add name="AspNetSqlRoleProvider" type="System.Web.Security.SqlRoleProvider" co
    <add name="AspNetWindowsTokenRoleProvider" type="System.Web.Security.WindowsTo
  </providers>
</roleManager>

</system.web>

<system.webServer>
  <modules runAllManagedModulesForAllRequests="true"/>
</system.webServer>
</configuration>
```

---

## VIDEO

<https://www.youtube.com/watch?v=NEwNs2b9YN8>

## ON-PREMISE OFFLINE SDK

[60 Day Free Trial](#) or [Visit ByteScout Barcode Suite Home Page](#)

[Explore ByteScout Barcode Suite Documentation](#)

[Explore Samples](#)

[Sign Up for ByteScout Barcode Suite Online Training](#)

## ON-DEMAND REST WEB API

[Get Your API Key](#)

[Explore Web API Docs](#)

[Explore Web API Samples](#)

[visit www.ByteScout.com](http://www.ByteScout.com)

[visit www.PDF.co](http://www.PDF.co)

