

How to read barcode with barcode reader sdk in ASP.NET VB and ByteScout Barcode Suite

Learn to code in ASP.NET VB to read barcode with barcode reader sdk with this step-by-step tutorial

Source code documentation samples give simple and easy method to install a needed feature into your application. ByteScout Barcode Suite is the set that includes three different SDK products to generate barcodes, read barcodes and read and write spreadsheets: Barcode SDK, Barcode Reader SDK and Spreadsheet SDK. It can read barcode with barcode reader sdk in ASP.NET VB.

The following code snippet for ByteScout Barcode Suite works best when you need to quickly read barcode with barcode reader sdk in your ASP.NET VB application. Just copy and paste the code into your ASP.NET VB application's code and follow the instructions. Further improvement of the code will make it more robust.

You can download free trial version of ByteScout Barcode Suite from our website to see and try many others source code samples for ASP.NET VB.

FOR MORE INFORMATION AND FREE TRIAL:

[Download Free Trial SDK \(on-premise version\)](#)

[Read more about ByteScout Barcode Suite](#)

[Explore API Documentation](#)

[Get Free Training for ByteScout Barcode Suite](#)

[Get Free API key for Web API](#)

[visit www.Bytescout.com](http://www.Bytescout.com)

Source Code Files:

Default.aspx

```
<%@ Page Language="vb" AutoEventWireup="false" CodeBehind="Default.aspx.vb" Inherits="..." %>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" >
<head runat="server">
  <title>Simple Web Barcode Reader Tester (VB)</title>
</head>
<body>
  <form id="form1" runat="server">
    <div>
      <div>
        <div>
          <br />
          <asp:ListBox ID="ListBox1" runat="server"></asp:ListBox><br />
          <br />
          <asp:Image ID="Image1" runat="server" />&nbsp;</div>
        </div>
      </div>
    </form>
  </body>
</html>
```

Default.aspx.designer.vb

```
'-----
' <auto-generated>
'   This code was generated by a tool.
'   Runtime Version:2.0.50727.3053
'
'   Changes to this file may cause incorrect behavior and will be lost if
'   the code is regenerated.
' </auto-generated>
'-----

Option Strict Off
Option Explicit On

''' <summary>
''' _Default class.
''' </summary>
''' <remarks>
''' Auto-generated class.
```

```

'''</remarks>
Partial Public Class _Default

    '''<summary>
    '''form1 control.
    '''</summary>
    '''<remarks>
    '''Auto-generated field.
    '''To modify move field declaration from designer file to code-behind file.
    '''</remarks>
    Protected WithEvents form1 As Global.System.Web.UI.HtmlControls.HtmlForm

    '''<summary>
    '''ListBox1 control.
    '''</summary>
    '''<remarks>
    '''Auto-generated field.
    '''To modify move field declaration from designer file to code-behind file.
    '''</remarks>
    Protected WithEvents ListBox1 As Global.System.Web.UI.WebControls.ListBox

    '''<summary>
    '''Image1 control.
    '''</summary>
    '''<remarks>
    '''Auto-generated field.
    '''To modify move field declaration from designer file to code-behind file.
    '''</remarks>
    Protected WithEvents Image1 As Global.System.Web.UI.WebControls.Image
End Class

```

Default.aspx.vb

```

Imports Bytescout.BarCodeReader

Partial Public Class _Default
    Inherits Page

    ' IF YOU SEE TEMPORARY FOLDER ACCESS ERRORS:

    ' Temporary folder access is required for web application when you use ByteScout S
    ' If you are getting errors related to the access to temporary folder like "Access

    ' SOLUTION:

    ' If your IIS Application Pool has "Load User Profile" option enabled the IIS prov
    ' If you are running Web Application under an impersonated account or IIS_IUSRS gr
    ' In this case

```

```

' - check the User or User Group your web application is running under
' - then add permissions for this User or User Group to read and write into that folder
' - restart your web application and try again

Protected Sub Page_Load(ByVal sender As Object, ByVal e As EventArgs) Handles Me.Load
    Image1.ImageUrl = "BarcodePhoto.jpg"

    Dim reader As New Reader()

    ' Limit search to 1D barcodes only (exclude 2D barcodes to speed up the search)
    ' Change to reader.BarcodeTypesToFind.SetAll() to scan for all supported types
    ' or select specific type, e.g. reader.BarcodeTypesToFind.PDF417 = True
    reader.BarcodeTypesToFind.SetAll1D()

    'reader.MediumTrustLevelCompatible = true ' uncomment this line to enable Medium Trust
    reader.ReadFromFile(Server.MapPath("BarcodePhoto.jpg"))

    For Each barcode As FoundBarcode In reader.FoundBarcodes
        ListBox1.Items.Add([String].Format("{0} : {1}", barcode.Type, barcode.Value))
    Next

End Sub

End Class

```

Web.config

```

<?xml version="1.0"?>
<configuration>
  <appSettings/>
  <connectionStrings/>
  <system.web>
    <!--
      Set compilation debug="true" to insert debugging
      symbols into the compiled page. Because this
      affects performance, set this value to true only
      during development.

      Visual Basic options:
      Set strict="true" to disallow all data type conversions
      where data loss can occur.
      Set explicit="true" to force declaration of all variables.
    -->
    <compilation debug="true" strict="false" explicit="true" />
  </system.web>
  <pages>
    <namespaces>

```

```

    <clear />
    <add namespace="System" />
    <add namespace="System.Collections" />
    <add namespace="System.Collections.Specialized" />
    <add namespace="System.Configuration" />
    <add namespace="System.Text" />
    <add namespace="System.Text.RegularExpressions" />
    <add namespace="System.Web" />
    <add namespace="System.Web.Caching" />
    <add namespace="System.Web.SessionState" />
    <add namespace="System.Web.Security" />
    <add namespace="System.Web.Profile" />
    <add namespace="System.Web.UI" />
    <add namespace="System.Web.UI.WebControls" />
    <add namespace="System.Web.UI.WebControls.WebParts" />
    <add namespace="System.Web.UI.HtmlControls" />
  </namespaces>
</pages>
<!--
  The <authentication> section enables configuration
  of the security authentication mode used by
  ASP.NET to identify an incoming user.
-->
<authentication mode="Windows" />
<!--
  The <customErrors> section enables configuration
  of what to do if/when an unhandled error occurs
  during the execution of a request. Specifically,
  it enables developers to configure html error pages
  to be displayed in place of a error stack trace.

  <customErrors mode="RemoteOnly" defaultRedirect="GenericErrorPage.htm">
    <error statusCode="403" redirect="NoAccess.htm" />
    <error statusCode="404" redirect="FileNotFound.htm" />
  </customErrors>
-->
</system.web>
</configuration>

```

VIDEO

<https://www.youtube.com/watch?v=NEwNs2b9YN8>

ON-PREMISE OFFLINE SDK

[60 Day Free Trial](#) or [Visit ByteScout Barcode Suite Home Page](#)
[Explore ByteScout Barcode Suite Documentation](#)
[Explore Samples](#)
[Sign Up for ByteScout Barcode Suite Online Training](#)

ON-DEMAND REST WEB API

[Get Your API Key](#)
[Explore Web API Docs](#)
[Explore Web API Samples](#)

[visit www.ByteScout.com](http://www.ByteScout.com)

[visit www.PDF.co](http://www.PDF.co)

www.bytescout.com