www.bytescout.com

How to decode ean 5 barcode with barcode reader sdk in C# using ByteScout Data Extraction Suite

If you want to learn more then this tutorial will show how to decode ean 5 barcode with barcode reader sdk in C#

The sample source codes on this page shows how to decode ean 5 barcode with barcode reader sdk in C#. ByteScout Data Extraction Suite can decode ean 5 barcode with barcode reader sdk. It can be applied from C#. ByteScout Data Extraction Suite is the set that includes 3 SDK products for data extraction from PDF, scans, images and from spreadsheets: PDF Extractor SDK, Data Extraction SDK, Barcode Reader SDK.

Want to save time? You will save a lot of time on writing and testing code as you may just take the C# code from ByteScout Data Extraction Suite for decode ean 5 barcode with barcode reader sdk below and use it in your application. IF you want to implement the functionality, just copy and paste this code for C# below into your code editor with your app, compile and run your application. This basic programming language sample code for C# will do the whole work for you to decode ean 5 barcode with barcode reader sdk.

ByteScout provides the free trial version of ByteScout Data Extraction Suite along with the documentation and source code samples.

FOR MORE INFORMATION AND FREE TRIAL:

Download Free Trial SDK (on-premise version)

Read more about ByteScout Data Extraction Suite

Explore API Documentation

Get Free Training for ByteScout Data Extraction Suite

Get Free API key for Web API

visit www.ByteScout.com

Source Code Files:

Program.cs

```
using System;
using System.IO;
using Bytescout.BarCodeReader;

namespace ReadEAN5
{
    class Program
    {
        const string ImageFile = "EAN5.png";

        static void Main()
        {
            Console.WriteLine("Reading barcode(s) from image {0}", Path.GetFullPath(Ima

            Reader reader = new Reader();
            reader.RegistrationName = "demo";
                        reader.RegistrationKey = "demo";

            // Set barcode type to find
            reader.BarcodeTypesToFind.EAN5 = true;
            // EAN-5 barcode is normally supplemental to EAN-13 so we should force the
            reader.AllowOrphanedSupplementals = true;

            /* ------------------------------------------------------------------------
            NOTE: We can read barcodes from specific page to increase performance.
            For sample please refer to "Decoding barcodes from PDF by pages" program.
            ------------------------------------------------------------------------ */

            // Read barcodes
            FoundBarcode[] barcodes = reader.ReadFrom(ImageFile);

            foreach (FoundBarcode barcode in barcodes)
            {
                Console.WriteLine("Found barcode with type '{0}' and value '{1}'", barc
            }

                        // Cleanup
                        reader.Dispose();

            Console.WriteLine("Press any key to exit..");
            Console.ReadKey();
        }
    }
}
```

VIDEO

https://www.youtube.com/watch?v=NEwNs2b9YN8

ON-PREMISE OFFLINE SDK

60 Day Free Trial or Visit ByteScout Data Extraction Suite Home Page
Explore ByteScout Data Extraction Suite Documentation
Explore Samples
Sign Up for ByteScout Data Extraction Suite Online Training

ON-DEMAND REST WEB API

Get Your API Key
Explore Web API Docs
Explore Web API Samples

visit www.ByteScout.com

visit www.PDF.co