How to set inter character spacing for text in pdf with pdf sdk in VBScript and ByteScout PDF Suite

How to write a robust code in VBScript to set inter character spacing for text in pdf with pdf sdk with this step-by-step tutorial

An easy to understand guide on how to set inter character spacing for text in pdf with pdf sdk in VBScript with this source code sample. Want to set inter character spacing for text in pdf with pdf sdk in your VBScript app? ByteScout PDF Suite is designed for it. ByteScout PDF Suite is the bundle that provides six different SDK libraries to work with PDF from generating rich PDF reports to extracting data from PDF documents and converting them to HTML. This bundle includes PDF (Generator) SDK, PDF Renderer SDK, PDF Extractor SDK, PDF to HTML SDK, PDF Viewer SDK and PDF Generator SDK for Javascript.

These VBScript code samples for VBScript guide developers to speed up coding of the application when using ByteScout PDF Suite. This VBScript sample code is all you need for your app. Just copy and paste the code, add references (if needs to) and you are all set! Enjoy writing a code with ready-to-use sample codes in VBScript.

All these programming tutorials along with source code samples and ByteScout free trial version are available for download from our website.

FOR MORE INFORMATION AND FREE TRIAL:

Download Free Trial SDK (on-premise version)

Read more about ByteScout PDF Suite

Explore API Documentation

Get Free Training for ByteScout PDF Suite

Get Free API key for Web API

visit www.ByteScout.com

Source Code Files:

```
' This example demonstrates how to change the intercharacter spacing.
 ' Create Bytescout.PDF.Document object
Set pdfDocument = CreateObject("Bytescout.PDF.Document")
pdfDocument.RegistrationName = "demo"
pdfDocument.RegistrationKey = "demo"
Set comHelpers = pdfDocument.ComHelpers
 ' Add page
Set page1 = comHelpers.CreatePage(comHelpers.PAPERFORMAT_A4)
pdfDocument.Pages.Add(page1)
Set canvas = page1.Canvas
Set font = comHelpers.CreateSystemFont("Arial", 16)
Set brush = comHelpers.CreateSolidBrush(comHelpers.CreateColorGray(0))
Set stringFormat = comHelpers.CreateStringFormat()
' Standard spacing
stringFormat.CharacterSpacing = 0.0
canvas.DrawString_4 "Standard intercharacter spacing 0.0", (font), (brush), 20, 20, (standard intercharacter spacing 0.0"), (font), (brush), 20, 20, (standard intercharacter spacing 0.0"), (font), (brush), 20, 20, (standard intercharacter spacing 0.0"), (font), (brush), (brush), (font), (font)
 ' Increased spacing
stringFormat.CharacterSpacing = 1.0
canvas.DrawString_4 "Increased intercharacter spacing 1.0", (font), (brush), 20, 50, (
 ' Reduced spacing
stringFormat.CharacterSpacing = -0.75
canvas.DrawString_4 "Reduced intercharacter spacing -0.75", (font), (brush), 20, 80, (
pdfDocument.Save("result.pdf")
 ' Open document in default PDF viewer app
Set shell = CreateObject("WScript.Shell")
shell.Run "result.pdf", 1, false
```

ON-PREMISE OFFLINE SDK

60 Day Free Trial or Visit ByteScout PDF Suite Home Page Explore ByteScout PDF Suite Documentation Explore Samples
Sign Up for ByteScout PDF Suite Online Training

ON-DEMAND REST WEB API

Get Your API Key
Explore Web API Docs
Explore Web API Samples

visit www.ByteScout.com

visit www.PDF.co

www.bytescout.com