

How to set inter character spacing for text in pdf with pdf sdk in VBScript with ByteScout Premium Suite

Learn to set inter character spacing for text in pdf with pdf sdk in VBScript

This sample source code below will display you how to set inter character spacing for text in pdf with pdf sdk in VBScript. Want to set inter character spacing for text in pdf with pdf sdk in your VBScript app? ByteScout Premium Suite is designed for it. ByteScout Premium Suite is the set that includes 12 SDK products from ByteScout including tools and components for PDF, barcodes, spreadsheets, screen video recording.

The SDK samples given below describe how to quickly make your application do set inter character spacing for text in pdf with pdf sdk in VBScript with the help of ByteScout Premium Suite. Just copy and paste the code into your VBScript application's code and follow the instructions. Enjoy writing a code with ready-to-use sample codes in VBScript.

If you want to try other source code samples then the free trial version of ByteScout Premium Suite is available for download from our website. Just try other source code samples for VBScript.

FOR MORE INFORMATION AND FREE TRIAL:

[Download Free Trial SDK \(on-premise version\)](#)

[Read more about ByteScout Premium Suite](#)

[Explore API Documentation](#)

[Get Free Training for ByteScout Premium Suite](#)

[Get Free API key for Web API](#)

[visit www.Bytescout.com](http://www.Bytescout.com)

Source Code Files:

```
' This example demonstrates how to change the intercharacter spacing.

' Create Bytescout.PDF.Document object
Set pdfDocument = CreateObject("Bytescout.PDF.Document")
pdfDocument.RegistrationName = "demo"
pdfDocument.RegistrationKey = "demo"

Set comHelpers = pdfDocument.ComHelpers

' Add page
Set page1 = comHelpers.CreatePage(comHelpers.PAPERFORMAT_A4)
pdfDocument.Pages.Add(page1)

Set canvas = page1.Canvas

Set font = comHelpers.CreateSystemFont("Arial", 16)
Set brush = comHelpers.CreateSolidBrush(comHelpers.CreateColorGray(0))
Set stringFormat = comHelpers.CreateStringFormat()

' Standard spacing
stringFormat.CharacterSpacing = 0.0
canvas.DrawString_4 "Standard intercharacter spacing 0.0", (font), (brush), 20, 20, (s

' Increased spacing
stringFormat.CharacterSpacing = 1.0
canvas.DrawString_4 "Increased intercharacter spacing 1.0", (font), (brush), 20, 50, (s

' Reduced spacing
stringFormat.CharacterSpacing = -0.75
canvas.DrawString_4 "Reduced intercharacter spacing -0.75", (font), (brush), 20, 80, (s

' Save document to file
pdfDocument.Save("result.pdf")

' Open document in default PDF viewer app
Set shell = CreateObject("WScript.Shell")
shell.Run "result.pdf", 1, false
```

VIDEO

<https://www.youtube.com/watch?v=NEwNs2b9YN8>

ON-PREMISE OFFLINE SDK

[60 Day Free Trial](#) or [Visit ByteScout Premium Suite Home Page](#)
[Explore ByteScout Premium Suite Documentation](#)
[Explore Samples](#)
[Sign Up for ByteScout Premium Suite Online Training](#)

ON-DEMAND REST WEB API

[Get Your API Key](#)
[Explore Web API Docs](#)
[Explore Web API Samples](#)

[visit www.ByteScout.com](http://www.ByteScout.com)

[visit www.PDF.co](http://www.PDF.co)

www.bytescout.com